AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

- 1. (currently amended) A Glyrichin selected from at least one of the following protein family:
 - 4) An isolated Human Glyrichin (hGlyrichin) and or isolated mouse Glyrichin (mGlyrichin): protein produced by one or more of *in vitro* methods, expression in a prokaryotic system or expression in yeast having the amino acid residue sequence of the sequence SEQ ID NO: 1 in the Sequence List Listing or a protein with antibacterial activities having sequence SEQ ID NO: 1 in the Sequence List Listing with one or more of the following modifications: with 1) 1 to 20 amino acid residues of it being are deleted, inserted and/or substituted; and 2) with 1 to 20 amino acid residues being are added to the carboxyl terminal and/or amino terminal of sequence SEQ ID NO: 1;
 - 2) Daniorerio Glyrichin: protein having the amino acid residue sequence of the sequence 3 in the Sequence List or protein with antibacterial activities having sequence 3 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 3;
 - 3) Anopheles gambiae Glyrichicn: protein having the amino acid residue sequence of the sequence 4 in the Sequence List or protein with antibacterial activities having sequence 4 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 4;
 - 4) Drosophila melanogas Glyrichin: protein having the amino acid residue sequence of the sequence 5 in the Sequence List or protein with antibacterial activities having sequence 5 in the Sequence List with 1 to 20 amino acid residues of it being

deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 5; 5) Caenorhabditis elegans Glyrichin: protein having the amino acid residue sequence of the sequence 6 in the Sequence List or protein with antibacterial activities having sequence 6 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 6; 6) Caenorhabditis elegans Glyrichin: protein having the amino acid residue sequence of the sequence 7 in the Sequence List or protein with antibacterial activities having sequence 7 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 7; 7) Schizosaccharomyces pombe Glyrichin: protein having the amino acid residue sequence of the sequence 8 in the Sequence List or protein with antibacterial activities having sequence 8 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 8; 8) Sacchromyces cerevisiae Glyrichin: protein having the amino acid residue sequence of the sequence 9 in the Sequence List or protein with antibacterial activities having sequence 9 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 9; 9) Arabiopsis thaliana Glyrichin: protein having the amino acid residue sequence of the sequence 10 in the Sequence List or protein with antibacterial activities having sequence 10 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 10; 10) Plasmodium falciparum 3D7 Glyrichin: protein having the amino acid residue sequence of the sequence 11 in the Sequence List or protein with antibacterial activities having sequence 11 in the Sequence List with 1 to 20 amino acid residues

of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 11; 11) Plasmodium yoelii yoelii Glyrichin: protein having the amino acid residue sequence of the sequence 12 in the Sequence List or protein with antibacterial activities having sequence 12 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 12; 12) Magnaporthe grisea Glyrichin: protein having the amino acid residue sequence of the sequence 13 in the Sequence List or protein with antibacterial activities having sequence 13 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 13; 13) Neurospora crassa Glyrichin: protein having the amino acid residue sequence of the sequence 14 in the Sequence List or protein with antibacterial activities having sequence 14 in the Sequence List with 1 to 20 amino acid residues of it being deleted, inserted and / or substituted and with 1 to 20 amino acid residues being added to the carboxyl terminal and / or amino terminal of sequence 14.

2. (cancelled)

- 3. (currently amended) The Glyrichin of Claim 1, wherein characterizing in that the number of the amino acid residues deleted, inserted and/or substituted and added at the carboxyl terminal or amino terminal is 1 to 10.
- 4. (currently amended) The Glyrichin of Claim 3, wherein characterizing in that the number of the amino acid residues deleted, inserted and/or substituted and or added at the carboxyl terminal or amino terminal is 1 to 5.
- 5. (currently amended) The Glyrichin of Claim 4, wherein characterizing in that the number of the amino acid residues deleted, inserted and/or substituted and or added at

the carboxyl terminal or amino terminal is 1 to 3.

6. (previously presented) A <u>isolated</u> coding gene of the Glyrichin according to Claim 1, <u>wherein said coding gene is in an expression vector suitable for expression in one or more of prokaryotic cells, yeast and by *in vitro* methods.</u>

- 7. (currently amended) The gene of Claim 6, wherein characterizing in that said Glyrichin is hGlyrichin and its coding gene has DNA sequence in the SEQID No: 2 SEQ ID No: 2 of Sequence List Listing or has >90% homology with the DNA sequence in the SEQID No: 2 of the Sequence List Listing, and the DNA sequence of amino acid residue sequence in the coding Sequence List SEQ ID No: 1 or nucleotide sequences which can hybridize with DNA sequence in the Sequence SEQ ID No: 2 of Sequence List Listing under high strict condition.
- 8. (cancelled).
- 9. (currently amended) A cell line containing genes according to Claim 6.
- 10. (currently amended) An engineering A recombinant bacteria containing genes according to Claim 6.
- 11. (currently amended) A method of inhibiting bacteria growth comprising applying An antibacterial use of the Glyrichin according to Claim 1 as well as or the coding gene thereof.
- 12. (currently amended, withdrawn) The <u>method</u> use of Claim 11, <u>wherein</u> characterizing in that the Glyrichin and the coding gene thereof are applied in preparing drugs for prevention and/or treatment of bacterial infectious disease of human or livestock.

13. (currently amended, withdrawn) The <u>method</u> use of Claim 11, <u>wherein</u> characterizing in that the Glyrichin and the coding gene thereof are applied in preparing drugs for prevention and/or treatment of potentially bacterial infectious disease of different kinds of creatures.

- 14. (currently amended, withdrawn) The <u>method</u> use of Claim 11, <u>wherein</u> characterizing in that the Glyrichin and the coding gene thereof are applied in producing transgenic creatures that can defend against diseases and pests.
- 15. (currently amended, withdrawn) The <u>method</u> use of Claim 11, <u>wherein</u> characterizing in that the Glyrichin and the coding gene thereof are applied in preparing the derivatives, or antagonists as well as its ligands and antibodies of Glyrichin.
- 16. (currently amended) The Glyrichin of Claim <u>1 [[2]]</u>, <u>wherein characterizing in that</u> the number of the amino acid residues deleted, inserted and/or substituted and added at the carboxyl terminal or amino terminal is 1 to 10.
- 17. (currently amended) A coding gene of the Glyrichin according to Claim 1 [[2]].
- 18. (previously presented) An expression vector containing genes according to Claim 7.
- 19. (currently amended) A cell line containing genes according to Claim 7, wherein the cells are one or more of prokaryotic cells and yeast.
- 20. (currently amended) An engineering A recombinant bacteria containing genes according to Claim 7.